

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-06x10x08	6	10	8	2	SOB 6-10-8	SPB-061008	10*06*08
WPK8-06x10x10	6	10	10	2	SOB 6-10-10	SPB-061010	10*06*10
WPK8-06x10x12	6	10	12	2	SOB 6-10-12	SPB-061012	10*06*12
WPK8-08x12x08	8	12	8	2	SOB 8-12-8	SPB-081208	12*08*08
WPK8-08x12x10	8	12	10	2	SOB 8-12-10	SPB-081210	12*08*10
WPK8-08x12x12	8	12	12	2	SOB 8-12-12	SPB-081212	12*08*12
WPK8-08x12x15	8	12	15	2	SOB 8-12-15	SPB-081215	12*08*15
WPK8-10x14x08	10	14	8	2	SOB 10-14-8	SPB-101408	14*10*08
WPK8-10x14x10	10	14	10	2	SOB 10-14-10	SPB-101410	14*10*10
WPK8-10x14x12	10	14	12	2	SOB 10-14-12	SPB-101412	14*10*12
WPK8-10x14x15	10	14	15	2	SOB 10-14-15	SPB-101415	14*10*15
WPK8-10x14x20	10	14	20	2	SOB 10-14-20	SPB-101420	14*10*20
WPK8-12x18x08	12	18	8	3	SOB 12-18-8	SPB-121808	18*12*08
WPK8-12x18x10	12	18	10	3	SOB 12-18-10	SPB-121810	18*12*10
WPK8-12x18x12	12	18	12	3	SOB 12-18-12	SPB-121812	18*12*12
WPK8-12x18x15	12	18	15	3	SOB 12-18-15	SPB-121815	18*12*15
WPK8-12x18x16	12	18	16	3	SOB 12-18-16	SPB-121816	18*12*16
WPK8-12x18x19	12	18	19	3	SOB 12-18-19	SPB-121819	18*12*19
WPK8-12x18x20	12	18	20	3	SOB 12-18-20	SPB-121820	18*12*20
WPK8-12x18x25	12	18	25	3	SOB 12-18-25	SPB-121825	18*12*25
WPK8-12x18x30	12	18	30	3	SOB 12-18-30	SPB-121830	18*12*30
WPK8-13x19x10	13	19	10	3	SOB 13-19-10	SPB-131910	19*13*10
WPK8-13x19x12	13	19	12	3	SOB 13-19-12	SPB-131912	19*13*12

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-13x19x15	13	19	15	3	SOB 13-19-15	SPB-131915	19*13*15
WPK8-13x19x20	13	19	20	3	SOB 13-19-20	SPB-131920	19*13*20
WPK8-13x19x25	13	19	25	3	SOB 13-19-25	SPB-131925	19*13*25
WPK8-13x19x30	13	19	30	3	SOB 13-19-30	SPB-131930	19*13*30
WPK8-14x20x10	14	20	10	3	SOB 14-20-10	SPB-142010	20*14*10
WPK8-14x20x12	14	20	12	3	SOB 14-20-12	SPB-142012	20*14*12
WPK8-14x20x15	14	20	15	3	SOB 14-20-15	SPB-142015	20*14*15
WPK8-14x20x20	14	20	20	3	SOB 14-20-20	SPB-142020	20*14*20
WPK8-14x20x25	14	20	25	3	SOB 14-20-25	SPB-142025	20*14*25
WPK8-14x20x30	14	20	30	3	SOB 14-20-30	SPB-142030	20*14*30
WPK8-15x21x10	15	21	10	3	SOB 15-21-10	SPB-152110	21*15*10
WPK8-15x21x12	15	21	12	3	SOB 15-21-12	SPB-152112	21*15*12
WPK8-15x21x15	15	21	15	3	SOB 15-21-15	SPB-152115	21*15*15
WPK8-15x21x16	15	21	16	3	SOB 15-21-16	SPB-152116	21*15*16
WPK8-15x21x20	15	21	20	3	SOB 15-21-20	SPB-152120	21*15*20
WPK8-15x21x25	15	21	25	3	SOB 15-21-25	SPB-152125	21*15*25
WPK8-15x21x30	15	21	30	3	SOB 15-21-30	SPB-152130	21*15*30
WPK8-15x21x35	15	21	35	3	SOB 15-21-35	SPB-152135	21*15*35
WPK8-15x21x40	15	21	40	3	SOB 15-21-40	SPB-152140	21*15*40
WPK8-16x22x10	16	22	10	3	SOB 16-22-10	SPB-162210	22*16*10
WPK8-16x22x12	16	22	12	3	SOB 16-22-12	SPB-162212	22*16*12
WPK8-16x22x15	16	22	15	3	SOB 16-22-15	SPB-162215	22*16*15
WPK8-16x22x16	16	22	16	3	SOB 16-22-16	SPB-162216	22*16*16

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Inenndurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-16x22x19	16	22	19	3	SOB 16-22-19	SPB-162219	22*16*19
WPK8-16x22x20	16	22	20	3	SOB 16-22-20	SPB-162220	22*16*20
WPK8-16x22x25	16	22	25	3	SOB 16-22-25	SPB-162225	22*16*25
WPK8-16x22x30	16	22	30	3	SOB 16-22-30	SPB-162230	22*16*30
WPK8-16x22x35	16	22	35	3	SOB 16-22-35	SPB-162235	22*16*35
WPK8-16x22x40	16	22	40	3	SOB 16-22-40	SPB-162240	22*16*40
WPK8-17x23x15	17	23	15	3	SOB 17-23-15	SPB-172315	23*17*15
WPK8-18x24x10	18	24	10	3	SOB 18-24-10	SPB-182410	24*18*10
WPK8-18x24x12	18	24	12	3	SOB 18-24-12	SPB-182412	24*18*12
WPK8-18x24x15	18	24	15	3	SOB 18-24-15	SPB-182415	24*18*15
WPK8-18x24x16	18	24	16	3	SOB 18-24-16	SPB-182416	24*18*16
WPK8-18x24x20	18	24	20	3	SOB 18-24-20	SPB-182420	24*18*20
WPK8-18x24x25	18	24	25	3	SOB 18-24-25	SPB-182425	24*18*25
WPK8-18x24x30	18	24	30	3	SOB 18-24-30	SPB-182430	24*18*30
WPK8-18x24x35	18	24	35	3	SOB 18-24-35	SPB-182435	24*18*35
WPK8-18x24x40	18	24	40	3	SOB 18-24-40	SPB-182440	24*18*40
WPK8-19x26x15	19	26	15	3,5	SOB 19-26-15	SPB-192615	26*19*15
WPK8-19x26x20	19	26	20	3,5	SOB 19-26-20	SPB-192620	26*19*20
WPK8-20x28x10	20	28	10	4	SOB 20-28-10	SPB-202810	28*20*10
WPK8-20x28x12	20	28	12	4	SOB 20-28-12	SPB-202812	28*20*12
WPK8-20x28x15	20	28	15	4	SOB 20-28-15	SPB-202815	28*20*15
WPK8-20x28x16	20	28	16	4	SOB 20-28-16	SPB-202816	28*20*16
WPK8-20x28x19	20	28	19	4	SOB 20-28-19	SPB-202819	28*20*19

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-20x28x20	20	28	20	4	SOB 20-28-20	SPB-202820	28*20*20
WPK8-20x28x25	20	28	25	4	SOB 20-28-25	SPB-202825	28*20*25
WPK8-20x28x30	20	28	30	4	SOB 20-28-30	SPB-202830	28*20*30
WPK8-20x28x35	20	28	35	4	SOB 20-28-35	SPB-202835	28*20*35
WPK8-20x28x40	20	28	40	4	SOB 20-28-40	SPB-202840	28*20*40
WPK8-20x28x50	20	28	50	4	SOB 20-28-50	SPB-202850	28*20*50
WPK8-20x30x10	20	30	10	5	SOB 20-30-10	SPB-203010	30*20*10
WPK8-20x30x12	20	30	12	5	SOB 20-30-12	SPB-203012	30*20*12
WPK8-20x30x15	20	30	15	5	SOB 20-30-15	SPB-203015	30*20*15
WPK8-20x30x16	20	30	16	5	SOB 20-30-16	SPB-203016	30*20*16
WPK8-20x30x20	20	30	20	5	SOB 20-30-20	SPB-203020	30*20*20
WPK8-20x30x25	20	30	25	5	SOB 20-30-25	SPB-203025	30*20*25
WPK8-20x30x30	20	30	30	5	SOB 20-30-30	SPB-203030	30*20*30
WPK8-20x30x35	20	30	35	5	SOB 20-30-35	SPB-203035	30*20*35
WPK8-20x30x40	20	30	40	5	SOB 20-30-40	SPB-203040	30*20*40
WPK8-20x30x50	20	30	50	5	SOB 20-30-50	SPB-203050	30*20*50
WPK8-22x32x12	22	32	12	5	SOB 22-32-12	SPB-223212	32*22*12
WPK8-22x32x15	22	32	15	5	SOB 22-32-15	SPB-223215	32*22*15
WPK8-22x32x20	22	32	20	5	SOB 22-32-20	SPB-223220	32*22*20
WPK8-22x32x25	22	32	25	5	SOB 22-32-25	SPB-223225	32*22*25
WPK8-25x33x12	25	33	12	4	SOB 25-33-12	SPB-253312	33*25*12
WPK8-25x33x15	25	33	15	4	SOB 25-33-15	SPB-253315	33*25*15
WPK8-25x33x16	25	33	16	4	SOB 25-33-16	SPB-253316	33*25*16

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-25x33x20	25	33	20	4	SOB 25-33-20	SPB-253320	33*25*20
WPK8-25x33x25	25	33	25	4	SOB 25-33-25	SPB-253325	33*25*25
WPK8-25x33x30	25	33	30	4	SOB 25-33-30	SPB-253330	33*25*30
WPK8-25x33x35	25	33	35	4	SOB 25-33-35	SPB-253335	33*25*35
WPK8-25x33x40	25	33	40	4	SOB 25-33-40	SPB-253340	33*25*40
WPK8-25x33x50	25	33	50	4	SOB 25-33-50	SPB-253350	33*25*50
WPK8-25x33x60	25	33	60	4	SOB 25-33-60	SPB-253360	33*25*60
WPK8-25x35x12	25	35	12	5	SOB 25-35-12	SPB-253512	35*25*12
WPK8-25x35x15	25	35	15	5	SOB 25-35-15	SPB-253515	35*25*15
WPK8-25x35x16	25	35	16	5	SOB 25-35-16	SPB-253516	35*25*16
WPK8-25x35x20	25	35	20	5	SOB 25-35-20	SPB-253520	35*25*20
WPK8-25x35x25	25	35	25	5	SOB 25-35-25	SPB-253525	35*25*25
WPK8-25x35x30	25	35	30	5	SOB 25-35-30	SPB-253530	35*25*30
WPK8-25x35x35	25	35	35	5	SOB 25-35-35	SPB-253535	35*25*35
WPK8-25x35x40	25	35	40	5	SOB 25-35-40	SPB-253540	35*25*40
WPK8-25x35x50	25	35	50	5	SOB 25-35-50	SPB-253550	35*25*50
WPK8-25x35x60	25	35	60	5	SOB 25-35-60	SPB-253560	35*25*60
WPK8-28x38x20	28	38	20	5	SOB 28-38-20	SPB-283820	38*28*20
WPK8-28x38x25	28	38	25	5	SOB 28-38-25	SPB-283825	38*28*25
WPK8-28x38x30	28	38	30	5	SOB 28-38-30	SPB-283830	38*28*30
WPK8-28x38x40	28	38	40	5	SOB 28-38-40	SPB-283840	38*28*40
WPK8-30x38x12	30	38	12	4	SOB 30-38-12	SPB-303812	38*30*12
WPK8-30x38x15	30	38	15	4	SOB 30-38-15	SPB-303815	38*30*15

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-30x38x20	30	38	20	4	SOB 30-38-20	SPB-303820	38*30*20
WPK8-30x38x25	30	38	25	4	SOB 30-38-25	SPB-303825	38*30*25
WPK8-30x38x30	30	38	30	4	SOB 30-38-30	SPB-303830	38*30*30
WPK8-30x38x35	30	38	35	4	SOB 30-38-35	SPB-303835	38*30*35
WPK8-30x38x40	30	38	40	4	SOB 30-38-40	SPB-303840	38*30*40
WPK8-30x38x50	30	38	50	4	SOB 30-38-50	SPB-303850	38*30*50
WPK8-30x38x60	30	38	60	4	SOB 30-38-60	SPB-303860	38*30*60
WPK8-30x40x12	30	40	12	5	SOB 30-40-12	SPB-304012	40*30*12
WPK8-30x40x15	30	40	15	5	SOB 30-40-15	SPB-304015	40*30*15
WPK8-30x40x20	30	40	20	5	SOB 30-40-20	SPB-304020	40*30*20
WPK8-30x40x25	30	40	25	5	SOB 30-40-25	SPB-304025	40*30*25
WPK8-30x40x30	30	40	30	5	SOB 30-40-30	SPB-304030	40*30*30
WPK8-30x40x35	30	40	35	5	SOB 30-40-35	SPB-304035	40*30*35
WPK8-30x40x40	30	40	40	5	SOB 30-40-40	SPB-304040	40*30*40
WPK8-30x40x50	30	40	50	5	SOB 30-40-50	SPB-304050	40*30*50
WPK8-30x40x60	30	40	60	5	SOB 30-40-60	SPB-304060	40*30*60
WPK8-32x42x20	32	42	20	5	SOB 32-42-20	SPB-324220	42*32*20
WPK8-32x42x30	32	42	30	5	SOB 32-42-30	SPB-324230	42*32*30
WPK8-32x42x40	32	42	40	5	SOB 32-42-40	SPB-324240	42*32*40
WPK8-32x42x60	32	42	60	5	SOB 32-42-60	SPB-324260	42*32*60
WPK8-35x44x20	35	44	20	4,5	SOB 35-44-20	SPB-354420	44*35*20
WPK8-35x44x25	35	44	25	4,5	SOB 35-44-25	SPB-354425	44*35*25
WPK8-35x44x30	35	44	30	4,5	SOB 35-44-30	SPB-354430	44*35*30

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-35x44x35	35	44	35	4,5	SOB 35-44-35	SPB-354435	44*35*35
WPK8-35x44x40	35	44	40	4,5	SOB 35-44-40	SPB-354440	44*35*40
WPK8-35x44x50	35	44	50	4,5	SOB 35-44-50	SPB-354450	44*35*50
WPK8-35x44x60	35	44	60	4,5	SOB 35-44-60	SPB-354460	44*35*60
WPK8-35x45x20	35	45	20	5	SOB 35-45-20	SPB-354520	45*35*20
WPK8-35x45x25	35	45	25	5	SOB 35-45-25	SPB-354525	45*35*25
WPK8-35x45x30	35	45	30	5	SOB 35-45-30	SPB-354530	45*35*30
WPK8-35x45x35	35	45	35	5	SOB 35-45-35	SPB-354535	45*35*35
WPK8-35x45x40	35	45	40	5	SOB 35-45-40	SPB-354540	45*35*40
WPK8-35x45x45	35	45	45	5	SOB 35-45-45	SPB-354545	45*35*45
WPK8-35x45x50	35	45	50	5	SOB 35-45-50	SPB-354550	45*35*50
WPK8-35x45x60	35	45	60	5	SOB 35-45-60	SPB-354560	45*35*60
WPK8-38x48x40	38	48	40	5	SOB 38-48-40	SPB-384840	48*38*40
WPK8-40x50x15	40	50	15	5	SOB 40-50-15	SPB-405015	50*40*15
WPK8-40x50x20	40	50	20	5	SOB 40-50-20	SPB-405020	50*40*20
WPK8-40x50x25	40	50	25	5	SOB 40-50-25	SPB-405025	50*40*25
WPK8-40x50x30	40	50	30	5	SOB 40-50-30	SPB-405030	50*40*30
WPK8-40x50x35	40	50	35	5	SOB 40-50-35	SPB-405035	50*40*35
WPK8-40x50x40	40	50	40	5	SOB 40-50-40	SPB-405040	50*40*40
WPK8-40x50x50	40	50	50	5	SOB 40-50-50	SPB-405050	50*40*50
WPK8-40x50x60	40	50	60	5	SOB 40-50-60	SPB-405060	50*40*60
WPK8-40x50x70	40	50	70	5	SOB 40-50-70	SPB-405070	50*40*70
WPK8-40x50x80	40	50	80	5	SOB 40-50-80	SPB-405080	50*40*80

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-40x55x15	40	55	15	7,5	SOB 40-55-15	SPB-405515	55*40*15
WPK8-40x55x25	40	55	25	7,5	SOB 40-55-25	SPB-405525	55*40*25
WPK8-40x55x30	40	55	30	7,5	SOB 40-55-30	SPB-405530	55*40*30
WPK8-40x55x35	40	55	35	7,5	SOB 40-55-35	SPB-405535	55*40*35
WPK8-40x55x40	40	55	40	7,5	SOB 40-55-40	SPB-405540	55*40*40
WPK8-40x55x50	40	55	50	7,5	SOB 40-55-50	SPB-405550	55*40*50
WPK8-40x55x60	40	55	60	7,5	SOB 40-55-60	SPB-405560	55*40*60
WPK8-45x55x30	45	55	30	5	SOB 45-55-30	SPB-455530	55*45*30
WPK8-45x55x35	45	55	35	5	SOB 45-55-35	SPB-455535	55*45*35
WPK8-45x55x40	45	55	40	5	SOB 45-55-40	SPB-455540	55*45*40
WPK8-45x55x45	45	55	45	5	SOB 45-55-45	SPB-455545	55*45*45
WPK8-45x55x50	45	55	50	5	SOB 45-55-50	SPB-455550	55*45*50
WPK8-45x55x60	45	55	60	5	SOB 45-55-60	SPB-455560	55*45*60
WPK8-45x56x30	45	56	30	5,5	SOB 45-56-30	SPB-455630	56*45*30
WPK8-45x56x35	45	56	35	5,5	SOB 45-56-35	SPB-455635	56*45*35
WPK8-45x56x40	45	56	40	5,5	SOB 45-56-40	SPB-455640	56*45*40
WPK8-45x56x50	45	56	50	5,5	SOB 45-56-50	SPB-455650	56*45*50
WPK8-45x56x60	45	56	60	5,5	SOB 45-56-60	SPB-455660	56*45*60
WPK8-45x60x30	45	60	30	7,5	SOB 45-60-30	SPB-456030	60*45*30
WPK8-45x60x35	45	60	35	7,5	SOB 45-60-35	SPB-456035	60*45*35
WPK8-45x60x40	45	60	40	7,5	SOB 45-60-40	SPB-456040	60*45*40
WPK8-45x60x50	45	60	50	7,5	SOB 45-60-50	SPB-456050	60*45*50
WPK8-45x60x60	45	60	60	7,5	SOB 45-60-60	SPB-456060	60*45*60

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-45x60x70	45	60	70	7,5	SOB 45-60-70	SPB-456070	60*45*70
WPK8-45x60x80	45	60	80	7,5	SOB 45-60-80	SPB-456080	60*45*80
WPK8-50x60x20	50	60	20	5	SOB 50-60-20	SPB-506020	60*50*20
WPK8-50x60x30	50	60	30	5	SOB 50-60-30	SPB-506030	60*50*30
WPK8-50x60x35	50	60	35	5	SOB 50-60-35	SPB-506035	60*50*35
WPK8-50x60x40	50	60	40	5	SOB 50-60-40	SPB-506040	60*50*40
WPK8-50x60x50	50	60	50	5	SOB 50-60-50	SPB-506050	60*50*50
WPK8-50x60x60	50	60	60	5	SOB 50-60-60	SPB-506060	60*50*60
WPK8-50x60x70	50	60	70	5	SOB 50-60-70	SPB-506070	60*50*70
WPK8-50x60x80	50	60	80	5	SOB 50-60-80	SPB-506080	60*50*80
WPK8-50x60x100	50	60	100	5	SOB 50-60-100	SPB-5060100	60*50*100
WPK8-50x62x30	50	62	30	6	SOB 50-62-30	SPB-506230	62*50*30
WPK8-50x62x35	50	62	35	6	SOB 50-62-35	SPB-506235	62*50*35
WPK8-50x62x40	50	62	40	6	SOB 50-62-40	SPB-506240	62*50*40
WPK8-50x62x50	50	62	50	6	SOB 50-62-50	SPB-506250	62*50*50
WPK8-50x62x60	50	62	60	6	SOB 50-62-60	SPB-506260	62*50*60
WPK8-50x62x70	50	62	70	6	SOB 50-62-70	SPB-506270	62*50*70
WPK8-50x62x80	50	62	80	6	SOB 50-62-80	SPB-506280	62*50*80
WPK8-50x65x30	50	65	30	7,5	SOB 50-65-30	SPB-506530	65*50*30
WPK8-50x65x40	50	65	40	7,5	SOB 50-65-40	SPB-506540	65*50*40
WPK8-50x65x50	50	65	50	7,5	SOB 50-65-50	SPB-506550	65*50*50
WPK8-50x65x60	50	65	60	7,5	SOB 50-65-60	SPB-506560	65*50*60
WPK8-50x65x70	50	65	70	7,5	SOB 50-65-70	SPB-506570	65*50*70

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-50x65x80	50	65	80	7,5	SOB 50-65-80	SPB-506580	65*50*80
WPK8-50x65x100	50	65	100	7,5	SOB 50-65-100	SPB-5065100	65*50*100
WPK8-55x70x30	55	70	30	7,5	SOB 55-70-30	SPB-557030	70*55*30
WPK8-55x70x35	55	70	35	7,5	SOB 55-70-35	SPB-557035	70*55*35
WPK8-55x70x40	55	70	40	7,5	SOB 55-70-40	SPB-557040	70*55*40
WPK8-55x70x50	55	70	50	7,5	SOB 55-70-50	SPB-557050	70*55*50
WPK8-55x70x60	55	70	60	7,5	SOB 55-70-60	SPB-557060	70*55*60
WPK8-55x70x70	55	70	70	7,5	SOB 55-70-70	SPB-557070	70*55*70
WPK8-60x74x30	60	74	30	7	SOB 60-74-30	SPB-607430	74*60*30
WPK8-60x74x35	60	74	35	7	SOB 60-74-35	SPB-607435	74*60*35
WPK8-60x74x40	60	74	40	7	SOB 60-74-40	SPB-607440	74*60*40
WPK8-60x74x50	60	74	50	7	SOB 60-74-50	SPB-607450	74*60*50
WPK8-60x74x60	60	74	60	7	SOB 60-74-60	SPB-607460	74*60*60
WPK8-60x74x70	60	74	70	7	SOB 60-74-70	SPB-607470	74*60*70
WPK8-60x74x80	60	74	80	7	SOB 60-74-80	SPB-607480	74*60*80
WPK8-60x75x30	60	75	30	7,5	SOB 60-75-30	SPB-607530	75*60*30
WPK8-60x75x35	60	75	35	7,5	SOB 60-75-35	SPB-607535	75*60*35
WPK8-60x75x40	60	75	40	7,5	SOB 60-75-40	SPB-607540	75*60*40
WPK8-60x75x45	60	75	45	7,5	SOB 60-75-45	SPB-607545	75*60*45
WPK8-60x75x50	60	75	50	7,5	SOB 60-75-50	SPB-607550	75*60*50
WPK8-60x75x60	60	75	60	7,5	SOB 60-75-60	SPB-607560	75*60*60
WPK8-60x75x70	60	75	70	7,5	SOB 60-75-70	SPB-607570	75*60*70
WPK8-60x75x80	60	75	80	7,5	SOB 60-75-80	SPB-607580	75*60*80

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-60x75x100	60	75	100	7,5	SOB 60-75-100	SPB-6075100	75*60*100
WPK8-63x75x50	63	75	50	6	SOB 63-75-50	SPB-637550	75*63*50
WPK8-63x75x60	63	75	60	6	SOB 63-75-60	SPB-637560	75*63*60
WPK8-63x75x70	63	75	70	6	SOB 63-75-70	SPB-637570	75*63*70
WPK8-63x75x80	63	75	80	6	SOB 63-75-80	SPB-637580	75*63*80
WPK8-63x75x120	63	75	120	6	SOB 63-75-120	SPB-6375120	75*63*120
WPK8-65x80x40	65	80	40	7,5	SOB 65-80-40	SPB-658040	80*65*40
WPK8-65x80x50	65	80	50	7,5	SOB 65-80-50	SPB-658050	80*65*50
WPK8-65x80x60	65	80	60	7,5	SOB 65-80-60	SPB-658060	80*65*60
WPK8-65x80x70	65	80	70	7,5	SOB 65-80-70	SPB-658070	80*65*70
WPK8-65x80x80	65	80	80	7,5	SOB 65-80-80	SPB-658080	80*65*80
WPK8-70x85x30	70	85	30	7,5	SOB 70-85-30	SPB-708530	85*70*30
WPK8-70x85x35	70	85	35	7,5	SOB 70-85-35	SPB-708535	85*70*35
WPK8-70x85x40	70	85	40	7,5	SOB 70-85-40	SPB-708540	85*70*40
WPK8-70x85x45	70	85	45	7,5	SOB 70-85-45	SPB-708545	85*70*45
WPK8-70x85x50	70	85	50	7,5	SOB 70-85-50	SPB-708550	85*70*50
WPK8-70x85x60	70	85	60	7,5	SOB 70-85-60	SPB-708560	85*70*60
WPK8-70x85x70	70	85	70	7,5	SOB 70-85-70	SPB-708570	85*70*70
WPK8-70x85x80	70	85	80	7,5	SOB 70-85-80	SPB-708580	85*70*80
WPK8-70x85x100	70	85	100	7,5	SOB 70-85-100	SPB-7085100	85*70*100
WPK8-70x90x50	70	90	50	10	SOB 70-90-50	SPB-709050	90*70*50
WPK8-70x90x60	70	90	60	10	SOB 70-90-60	SPB-709060	90*70*60
WPK8-70x90x70	70	90	70	10	SOB 70-90-70	SPB-709070	90*70*70

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-70x90x80	70	90	80	10	SOB 70-90-80	SPB-709080	90*70*80
WPK8-75x90x50	75	90	50	7,5	SOB 75-90-50	SPB-759050	90*75*50
WPK8-75x90x60	75	90	60	7,5	SOB 75-90-60	SPB-759060	90*75*60
WPK8-75x90x70	75	90	70	7,5	SOB 75-90-70	SPB-759070	90*75*70
WPK8-75x90x80	75	90	80	7,5	SOB 75-90-80	SPB-759080	90*75*80
WPK8-75x90x100	75	90	100	7,5	SOB 75-90-100	SPB-7590100	90*75*100
WPK8-75x95x60	75	95	60	10	SOB 75-95-60	SPB-759560	95*75*60
WPK8-75x95x70	75	95	70	10	SOB 75-95-70	SPB-759570	95*75*70
WPK8-75x95x80	75	95	80	10	SOB 75-95-80	SPB-759580	95*75*80
WPK8-75x95x100	75	95	100	10	SOB 75-95-100	SPB-7595100	95*75*100
WPK8-80x96x40	80	96	40	8	SOB 80-96-40	SPB-809640	96*80*40
WPK8-80x96x50	80	96	50	8	SOB 80-96-50	SPB-809650	96*80*50
WPK8-80x96x60	80	96	60	8	SOB 80-96-60	SPB-809660	96*80*60
WPK8-80x96x70	80	96	70	8	SOB 80-96-70	SPB-809670	96*80*70
WPK8-80x96x80	80	96	80	8	SOB 80-96-80	SPB-809680	96*80*80
WPK8-80x96x100	80	96	100	8	SOB 80-96-100	SPB-8096100	96*80*100
WPK8-80x96x120	80	96	120	8	SOB 80-96-120	SPB-8096120	96*80*120
WPK8-80x100x40	80	100	40	10	SOB 80-100-40	SPB-8010040	100*80*40
WPK8-80x100x45	80	100	45	10	SOB 80-100-45	SPB-8010045	100*80*45
WPK8-80x100x50	80	100	50	10	SOB 80-100-50	SPB-8010050	100*80*50
WPK8-80x100x60	80	100	60	10	SOB 80-100-60	SPB-8010060	100*80*60
WPK8-80x100x70	80	100	70	10	SOB 80-100-70	SPB-8010070	100*80*70
WPK8-80x100x80	80	100	80	10	SOB 80-100-80	SPB-8010080	100*80*80

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-80x100x100	80	100	100	10	SOB 80-100-100	SPB-80100100	100*80*100
WPK8-80x100x120	80	100	120	10	SOB 80-100-120	SPB-80100120	100*80*120
WPK8-80x100x140	80	100	140	10	SOB 80-100-140	SPB-80100140	100*80*140
WPK8-85x100x60	85	100	60	7,5	SOB 85-100-60	SPB-8510060	100*85*60
WPK8-85x100x80	85	100	80	7,5	SOB 85-100-80	SPB-8510080	100*85*80
WPK8-90x110x50	90	110	50	10	SOB 90-110-50	SPB-9011050	110*90*50
WPK8-90x110x60	90	110	60	10	SOB 90-110-60	SPB-9011060	110*90*60
WPK8-90x110x70	90	110	70	10	SOB 90-110-70	SPB-9011070	110*90*70
WPK8-90x110x80	90	110	80	10	SOB 90-110-80	SPB-9011080	110*90*80
WPK8-90x110x90	90	110	90	10	SOB 90-110-90	SPB-9011090	110*90*90
WPK8-90x110x100	90	110	100	10	SOB 90-110-100	SPB-90110100	110*90*100
WPK8-90x110x120	90	110	120	10	SOB 90-110-120	SPB-90110120	110*90*120
WPK8-100x120x50	100	120	50	10	SOB 100-120-50	SPB-10012050	120*100*50
WPK8-100x120x60	100	120	60	10	SOB 100-120-60	SPB-10012060	120*100*60
WPK8-100x120x70	100	120	70	10	SOB 100-120-70	SPB-10012070	120*100*70
WPK8-100x120x80	100	120	80	10	SOB 100-120-80	SPB-10012080	120*100*80
WPK8-100x120x90	100	120	90	10	SOB 100-120-90	SPB-10012090	120*100*90
WPK8-100x120x100	100	120	100	10	SOB 100-120-100	SPB-100120100	120*100*100
WPK8-100x120x120	100	120	120	10	SOB 100-120-120	SPB-100120120	120*100*120
WPK8-100x120x140	100	120	140	10	SOB 100-120-140	SPB-100120140	120*100*140
WPK8-110x130x50	110	130	50	10	SOB 110-130-50	SPB-11013050	130*110*50
WPK8-110x130x70	110	130	70	10	SOB 110-130-70	SPB-11013070	130*110*70
WPK8-110x130x80	110	130	80	10	SOB 110-130-80	SPB-11013080	130*110*80

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-110x130x100	110	130	100	10	SOB 110-130-100	SPB-110130100	130*110*100
WPK8-110x130x120	110	130	120	10	SOB 110-130-120	SPB-110130120	130*110*120
WPK8-120x140x70	120	140	70	10	SOB 120-140-70	SPB-12014070	140*120*70
WPK8-120x140x80	120	140	80	10	SOB 120-140-80	SPB-12014080	140*120*80
WPK8-120x140x90	120	140	90	10	SOB 120-140-90	SPB-12014090	140*120*90
WPK8-120x140x100	120	140	100	10	SOB 120-140-100	SPB-120140100	140*120*100
WPK8-120x140x120	120	140	120	10	SOB 120-140-120	SPB-120140120	140*120*120
WPK8-120x140x140	120	140	140	10	SOB 120-140-140	SPB-120140140	140*120*140
WPK8-125x145x100	125	145	100	10	SOB 125-145-100	SPB-125145100	145*125*100
WPK8-125x145x120	125	145	120	10	SOB 125-145-120	SPB-125145120	145*125*120
WPK8-130x150x80	130	150	80	10	SOB 130-150-80	SPB-13015080	150*130*80
WPK8-130x150x100	130	150	100	10	SOB 130-150-100	SPB-130150100	150*130*100
WPK8-130x150x120	130	150	120	10	SOB 130-150-120	SPB-130150120	150*130*120
WPK8-130x150x130	130	150	130	10	SOB 130-150-130	SPB-130150130	150*130*130
WPK8-140x160x80	140	160	80	10	SOB 140-160-80	SPB-14016080	160*140*80
WPK8-140x160x100	140	160	100	10	SOB 140-160-100	SPB-140160100	160*140*100
WPK8-140x160x120	140	160	120	10	SOB 140-160-120	SPB-140160120	160*140*120
WPK8-140x160x140	140	160	140	10	SOB 140-160-140	SPB-140160140	160*140*140
WPK8-150x170x80	150	170	80	10	SOB 150-170-80	SPB-15017080	170*150*80
WPK8-150x170x100	150	170	100	10	SOB 150-170-100	SPB-150170100	170*150*100
WPK8-150x170x150	150	170	150	10	SOB 150-170-150	SPB-150170150	170*150*150
WPK8-160x180x80	160	180	80	10	SOB 160-180-80	SPB-16018080	180*160*80
WPK8-160x180x100	160	180	100	10	SOB 160-180-100	SPB-160180100	180*160*100

WPK8-Serie: Lieferprogramm Zylinderbuchsen

Gültig für Gleitlager der Serie WPK8-D11 und WPK8-D16

Unsere Artikelnummer	Abmessungen				Weitere Bezeichnungen		
	d = Innendurchmesser	D = Außendurchmesser	L = Länge	s = Wandstärke			
WPK8-160x180x150	160	180	150	10	SOB 160-180-150	SPB-160180150	180*160*150
WPK8-170x190x100	170	190	100	10	SOB 170-190-100	SPB-170190100	190*170*100
WPK8-170x190x150	170	190	150	10	SOB 170-190-150	SPB-170190150	190*170*150
WPK8-180x200x100	180	200	100	10	SOB 180-200-100	SPB-180200100	200*180*100
WPK8-180x200x150	180	200	150	10	SOB 180-200-150	SPB-180200150	200*180*150
WPK8-190x210x100	190	210	100	10	SOB 190-210-100	SPB-190210100	210*190*100
WPK8-190x210x150	190	210	150	10	SOB 190-210-150	SPB-190210150	210*190*150
WPK8-200x230x100	200	230	100	15	SOB 200-230-100	SPB-200230100	230*200*100
WPK8-200x230x150	200	230	150	15	SOB 200-230-150	SPB-200230150	230*200*150
WPK8-200x230x200	200	230	200	15	SOB 200-230-200	SPB-200230200	230*200*200